

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the present application:

**Listing of Claims:**

1. – 22. (CANCELLED)

23. (PREVIOUSLY PRESENTED) A wireless connectivity toolkit system, comprising:

a wireless connectivity toolkit server communicatively coupled with a first network and a second network, the wireless connectivity toolkit server having a data storage area, wireless connectivity toolkit server including a network toolkit including a plurality of utility programs, the utility programs comprising a plurality of discrete computer programs managed by an administrative program that allows a single user interface to the plurality of discrete computer programs, the network toolkit configured to serve a plurality of wireless communication devices at any given time, wherein the first network is a wireless communication network and the second network is different from the first network and is a public network;

a wireless communication device communicatively coupled with the wireless connectivity toolkit server via the first network, wherein the wireless communication device establishes a session with the wireless connectivity toolkit server over the first network, the session allowing execution of the utility programs comprising the administrative computer program controlling one of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device; and

a network enabled device communicatively coupled with the wireless connectivity toolkit server via the second network, wherein the network enabled device establishes a session with the wireless connectivity toolkit server over the second network, the session allowing the administrative computer program to control one of the discrete computer programs which enables access to a portion of the data storage area reserved for the wireless communication device.

24. (CURRENTLY AMENDED) A method for managing data on a wireless communication device coupled with a connectivity toolkit server via a wireless communication network, the method comprising:

providing a connectivity toolkit server having a data storage area and a plurality of utility programs, the connectivity toolkit server communicatively coupled with a first network and a second network, the tool kit server having a network toolkit including programs configured to execute on the tool kit server, the network toolkit comprising multiple discrete computer programs that provide a single interface for access to the multiple discrete computer programs, the network toolkit configured to serve a plurality of wireless communication devices at any given time, wherein the first network is a public network and the second network is different from the first network and is a wireless communication network;

establishing a first session between the connectivity toolkit server and a network enabled device over the first network, the first session allowing access to a portion of the data storage area reserved for the wireless communication device wherein establishing a first session includes determining whether a first account status is current; and

establishing a second session between the connectivity toolkit server and a the wireless communication device over the second network, the second session allowing execution of the utility programs and access to a portion of the data storage area reserved for the wireless communication device wherein establishing a second session includes determining whether a second account status is current.

25. (PREVIOUSLY PRESENTED) The method of claim 24, further comprising authenticating a user associated with the network enabled device prior to establishing the first session.

26. (PREVIOUSLY PRESENTED) The method of claim 25, further comprising obtaining profile information associated with the authenticated user, the profile information comprising identification of a discrete portion of the data storage area reserved for the authenticated user.

27. (PREVIOUSLY PRESENTED) The method of claim 24, further comprising authenticating a user associated with the wireless communication device prior to establishing the second session.

28. (PREVIOUSLY PRESENTED) The method of claim 27, further comprising obtaining profile information associated with the authenticated user, the profile information comprising an identification of a discrete portion of the data storage area reserved for the authenticated user.